

# WEST Search History

Hide Items

Restore

Clear

Cancel

DATE: Friday, September 08, 2006

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L114	'different types databases' and (multiple near5 database\$1) and lotus and (transaction near5 database) and @py<=2001	1
<input type="checkbox"/>	L113	L112 and relational	4
<input type="checkbox"/>	L112	L111 and non\$relational	4
<input type="checkbox"/>	L111	L108 and (transaction near5 database)	14
<input type="checkbox"/>	L110	L108 and (transactiion near5 database)	0
<input type="checkbox"/>	L109	L108 and (transactiionnear5 database)	0
<input type="checkbox"/>	L108	(multiple near5 database\$1) and 'different types databases' and @py<=2002	76
<input type="checkbox"/>	L107	L106 and 'different types databases'	4
<input type="checkbox"/>	L106	(relational same non\$relational) and (transaction near5 database\$1) and @py<=2002	53
<input type="checkbox"/>	L105	L104 and distribut\$3	7
<input type="checkbox"/>	L104	L103 and transaction\$1	9
<input type="checkbox"/>	L103	'different types databases' and relational and (hierarchical near5 database\$1) and @py<=2002	18
<input type="checkbox"/>	L102	'different types databases' and lotus and relational and (hierarchical near5 database\$1) and @py<=2002	3
<input type="checkbox"/>	L101	L100 and (different near5 type\$1) and (plurality near5 database\$1)	35
<input type="checkbox"/>	L100	(distributed near5 database\$1) and (transaction near5 database) and (messag\$3 near5 database\$1) and @py<=2002	224
<input type="checkbox"/>	L99	L98 and 'different types databases'	3
<input type="checkbox"/>	L98	(distributed near5 database\$1) and (relational near5 non\$relational) and @py<=2002	65
<input type="checkbox"/>	L97	L96 and l93	0
<input type="checkbox"/>	L96	(plurality near5 database\$1) and transaction\$1 and writ\$3 and (periodica\$3 near5 query\$3) and @py<=2002	18
<input type="checkbox"/>	L95	(first near5 database) and (second near5 database) and (transaction\$1 near5 writ\$3) and read\$3 and updat\$3 and l88	8
<input type="checkbox"/>	L94	L93 and (transaction\$1 near5 database)	11
<input type="checkbox"/>	L93	'different types databases' and (distributed near5 database\$1) and @py<=2002	44
<input type="checkbox"/>	L92	'different types databases'.clm. and @py<=2002	8
<input type="checkbox"/>	L91	L90 and (distributed near5 database\$1)	3
<input type="checkbox"/>	L90	L89 and (writ\$3 near5 transact\$4)	7

<input type="checkbox"/>	L89	L88 and (transaction\$1 near5 database\$1)	39
<input type="checkbox"/>	L88	'different types databases' and @py<=2002	177
<input type="checkbox"/>	L87	L86 and lotus	6
<input type="checkbox"/>	L86	L85 and (updat\$3 near5 record\$1)	19
<input type="checkbox"/>	L85	L84 and (transaction\$1 near5 database\$1)	48
<input type="checkbox"/>	L84	(different near5 database\$1) same (different near5 type\$1) and (distributed near5 database\$1) and @py<=2002	162
<input type="checkbox"/>	L83	L82 and updat\$3 and search\$3	10
<input type="checkbox"/>	L82	L81 and (different near5 type\$1)	17
<input type="checkbox"/>	L81	L79 and (transaction\$1 near5 database\$1)	37
<input type="checkbox"/>	L80	L79 and (transaction\$1 near5 datatbase\$1)	0
<input type="checkbox"/>	L79	(client near5 database) and (server near5 database) and (hierarchical near5 database) and (relational near5 database) and @py<=2002	150
<input type="checkbox"/>	L78	L77 and updat\$3 and process\$3	4
<input type="checkbox"/>	L77	L76 and (transaction near5 database)	4
<input type="checkbox"/>	L76	L75 and ((relational near5 database) same (non\$relational near5 database))	13
<input type="checkbox"/>	L75	((different types) near5 database\$1) and @py<=2002	680
<input type="checkbox"/>	L74	L73 and ((plurality near5 database\$1) same (different near5 type\$1))	11
<input type="checkbox"/>	L73	L72 and updat\$3 and process\$3	128
<input type="checkbox"/>	L72	L71 and (client near5 database) and (server near5 database)	139
<input type="checkbox"/>	L71	L70 and (transaction\$1 near5 database)	453
<input type="checkbox"/>	L70	((different adj5 types) same database\$1) and @py<=2002	3411
<input type="checkbox"/>	L69	((differernt adj5 types) same database\$1) and @py<=2002	0
<input type="checkbox"/>	L68	L66 and (transaction\$1 near5 datatbase)	0
<input type="checkbox"/>	L67	L66 and (transactional near5 datatbase)	0
<input type="checkbox"/>	L66	(heterogeneous database) same (relational near5 database\$1) and (different adj5 databases) and @py<=2002	21
<input type="checkbox"/>	L65	L64 and ((different near5 type\$1) same database\$1)	6
<input type="checkbox"/>	L64	L63 and (remote near5 database\$1)	38
<input type="checkbox"/>	L63	(transaction\$2 near5 database\$1) and (hierarchical near5 database\$1) and @py<=2002	209
<input type="checkbox"/>	L62	L61 and (transaction\$1 near5 database)	9
<input type="checkbox"/>	L61	'different databases'.clm. and @py<=2002	65
<input type="checkbox"/>	L60	'different multiple databases'.clm.	0
<input type="checkbox"/>	L59	'different databases'.clm.	185
<input type="checkbox"/>	L58	((document\$1 near5 database\$1) same (transact\$5 near5 database\$1)).ab. and @py<=2002	13
<input type="checkbox"/>	L57	((multiple near5 database\$1) and (multiple near5 type\$1)).clm. and @py<=2002	13
		(first near5 database) and (second near5 database) and (multiple near5 type\$1)	

<input type="checkbox"/>	L56	and @py<=2002	358
<input type="checkbox"/>	L55	((multiple near5 database\$1) and (multiple near5 type\$1)) and @py<=2002	0
<input type="checkbox"/>	L54	((multiple near5 database\$1) same (multiple near5 type\$1)) and @py<=2002	0
<input type="checkbox"/>	L53	L52 and (transact\$5 near5 database\$1)	34
<input type="checkbox"/>	L52	L51 and (company near5 database\$1)	191
<input type="checkbox"/>	L51	((different adj5 type\$1) same (database\$1 or data\$base\$1)) and @py<=2002	3418
<input type="checkbox"/>	L50	L49 and (transact\$5 near5 database\$1)	7
<input type="checkbox"/>	L49	('different types' near5 'databases').clm. and @py<=2002	47
<input type="checkbox"/>	L48	L47 and (geographical near5 location\$1)	6
<input type="checkbox"/>	L47	('different types' near5 'databases').clm.	117
<input type="checkbox"/>	L46	('different types' near5 'databases').ab.	144
<input type="checkbox"/>	L45	'different types of databases'.ab.	0
<input type="checkbox"/>	L44	'different types of databases'.clm.	0
<input type="checkbox"/>	L43	L42 and (organization near5 database\$1)	2
<input type="checkbox"/>	L42	L41 and (geographical near5 location\$1)	15
<input type="checkbox"/>	L41	(database near5 type\$1) and (different near5 database\$1) and (transaction near5 database\$1) and @py<=2002	530
<input type="checkbox"/>	L40	L38 and (status near5 flag)	2
<input type="checkbox"/>	L39	L38 and (wildcard near5 character)	0
<input type="checkbox"/>	L38	L36 and (updat\$3 near5 database\$1)	95
<input type="checkbox"/>	L37	L36 and (transaction\$3 enar5 key)	0
<input type="checkbox"/>	L36	L35 and (data near5 record\$1)	110
<input type="checkbox"/>	L35	L34 and (plurality near5 database\$1)	181
<input type="checkbox"/>	L34	L33 and (different adj5 database\$1)	359
<input type="checkbox"/>	L33	(process\$3 near5 database) and (transaction near5 database) and @py<=2001	2098
<input type="checkbox"/>	L32	L29 and (query\$3 near5 interval\$1)	0
<input type="checkbox"/>	L31	L29 and (search\$3 near5 interval\$1)	0
<input type="checkbox"/>	L30	L29 and (search\$3 near5 time\$interval\$1)	0
<input type="checkbox"/>	L29	L28 and (updat\$3 near5 record\$1)	26
<input type="checkbox"/>	L28	L27 and (process\$4 near5 database\$1)	41
<input type="checkbox"/>	L27	L26 and (multiple near5 database\$1)	43
<input type="checkbox"/>	L26	(lotus near5 note\$1) and (transact\$5 near5 database\$1) and @py<=2002	81
<input type="checkbox"/>	L25	(heterogeneous near5 database\$1) and (relational near5 database\$1) and (transactional near5 database\$1) and @py<=2002	7
<input type="checkbox"/>	L24	L21 and (search\$3 near5 interval\$1)	0
<input type="checkbox"/>	L23	L21 and (search\$3 near5 predetermin\$3)	0
<input type="checkbox"/>	L22	L21 and (search\$3 near5 periodically)	0
<input type="checkbox"/>	L21	L20 and (updat\$3 near5 record\$1)	19

<input type="checkbox"/>	L20	(first near5 database) and (second near5 database) and (transactional near5 database) and @py<=2001	39
<input type="checkbox"/>	L19	(first near5 database) and (second near5 database) and (multiple near5 database\$1) and @py<=2002	0
<input type="checkbox"/>	L18	(first near5 database) and (second near5 database) and (type\$1 near5 database) and @py<=2002	0
<input type="checkbox"/>	L17	(first near5 database) and (second near5 database) and (type\$1 near5 database) and @py<=2001	0
<input type="checkbox"/>	L16	(first near5 database) and (second near5 database) and (transactional near5 database) and @py<=2001	0
<input type="checkbox"/>	L15	'multiple types of databases' and @py<=2002	0
<input type="checkbox"/>	L14	'plurality types of databases' and @py<=2002	0
<input type="checkbox"/>	L13	L12 and writ\$3 and read\$3 and send\$3	13
<input type="checkbox"/>	L12	L11 and (relational near5 database)	13
<input type="checkbox"/>	L11	L10 and (lotus near5 note\$1)	16
<input type="checkbox"/>	L10	L9 and (remote near5 user\$1)	21
<input type="checkbox"/>	L9	L8 and (second near5 database)	54
<input type="checkbox"/>	L8	L6 and (first near5 database)	99
<input type="checkbox"/>	L7	L6 and (interconnect\$3 near5 database\$1)	0
<input type="checkbox"/>	L6	L5 and (type\$1 near5 database\$1)	147
<input type="checkbox"/>	L5	(transaction near5 database) and (document\$1 near5 database) and updat\$3 and transact\$4 and @py<=2002	303
<input type="checkbox"/>	L4	L3 and 42 and 43	0
<input type="checkbox"/>	L3	L1 and (drawing 5)	0
<input type="checkbox"/>	L2	L1 and (fig 5)	0
<input type="checkbox"/>	L1	20030131009.pn.	2

END OF SEARCH HISTORY

# WEST Search History

DATE: Friday, September 08, 2006

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L46	L44 and (transaction near5 record\$1)	12
<input type="checkbox"/>	L45	L44 and (transaction near5 log)	0
<input type="checkbox"/>	L44	'lotus' and 'relational' and 'non-relational' and hierarchical' and (multiple near5 database\$1) and @py<=2002	16
<input type="checkbox"/>	L43	L42 and (transaction database)	3
<input type="checkbox"/>	L42	L41 and (different databases)	14
<input type="checkbox"/>	L41	('network database' same 'relational database') and @py<=2002	79
<input type="checkbox"/>	L40	('network database' same 'transaction databases') and @py<=2002	5
<input type="checkbox"/>	L39	('different types database' same 'transaction databases') and @py<=2002	0
<input type="checkbox"/>	L38	('different types database' same 'distributed databases') and @py<=2002	6
<input type="checkbox"/>	L37	('different types database' same 'distributed network') and @py<=2002	0
<input type="checkbox"/>	L36	('different types databases' same 'distributed network') and @py<=2002	0
<input type="checkbox"/>	L35	('different types databaes' same 'distributed network') and @py<=2002	0
<input type="checkbox"/>	L34	('different types' near5 'different databases' )and @py<=2000	2
<input type="checkbox"/>	L33	'different types of databases' and @py<=2000	0
<input type="checkbox"/>	L32	L31 and (transaction near5 id\$1)	10
<input type="checkbox"/>	L31	L30 and (plurality near5 database\$1)	34
<input type="checkbox"/>	L30	L29 and (transaction near5 log\$1)	75
<input type="checkbox"/>	L29	L28 and (writ\$3 near5 transaction\$1)	165
<input type="checkbox"/>	L28	L27 and (transaction near5 record\$1)	338
<input type="checkbox"/>	L27	(distributed near5 database\$1) and (transaction\$1 near5 database\$1) and @py<=2002	1014
<input type="checkbox"/>	L26	l24 and (log near5 record\$1)	2
<input type="checkbox"/>	L25	L24 and non\$relational	2
<input type="checkbox"/>	L24	L23 and (database near5 transaction\$1)	22
<input type="checkbox"/>	L23	(source near5 database) and (target near5 database\$1).ab. and @py<=2002	100
<input type="checkbox"/>	L22	L21 and (transaction\$1 near5 id\$1)	2
<input type="checkbox"/>	L21	L20 and (updat\$3 near5 record\$1) and (log near5 record\$1)	10
<input type="checkbox"/>	L20	(source near5 database) and (target near5 database) and (transaction near5 database) and @py<=2002	84
<input type="checkbox"/>	L19	(source near5 database) and (target near5 database) and (transactionnear5	0

	database) and @py<=2002	
<input type="checkbox"/>	L18 L17 and (transaction near5 id\$1)	8
<input type="checkbox"/>	L17 (writ\$3 near5 transaction\$1) same (first near5 database\$1) and @py<=2002	28
<input type="checkbox"/>	L16 L15 and (transaction\$1 near5 id\$)	10
<input type="checkbox"/>	L15 (transaction and database\$ and process\$3).ti. and @py<=2002	218
<input type="checkbox"/>	L14 L13 and (read same write)	26
<input type="checkbox"/>	L13 L12 and (transaction near5 id\$1)	26
<input type="checkbox"/>	L12 L11 and ((different near5 types) same database\$1)	28
<input type="checkbox"/>	L11 L10 and (updat\$3 near5 record\$1)	65
<input type="checkbox"/>	L10 L9 and (transaction near5 record\$1)	91
<input type="checkbox"/>	L9 (database\$1 near5 distributed) and (transaction near5 database\$1) and (transaction near5 key) and @py<=2002	117
<input type="checkbox"/>	L8 L7 and (periodically near5 updat\$3)	3
<input type="checkbox"/>	L7 L6 and process\$3	37
<input type="checkbox"/>	L6 L5 and (different near5 database\$1)	38
<input type="checkbox"/>	L5 L4 and (transaction\$1 near5 key)	63
<input type="checkbox"/>	L4 (first near5 database) and (second near5 database) and (transaction\$1 near5 database) and @py<=2002	807
<input type="checkbox"/>	L3 (multiple near5 database\$1) and (transaction\$1 near5 database\$1) and @py<=2002	0
<input type="checkbox"/>	L2 ((multiple near5 database\$1) same (transaction\$1 near5 database\$1)) and @py<=2002	0
<input type="checkbox"/>	L1 ((multiple near5 database\$1) same (transaction\$1 near5 database\$1)).ab,clm. and @py<=2002	0

END OF SEARCH HISTORY

[Web](#) [Images](#) [Video](#) <sup>New!</sup> [News](#) [Maps](#) [more »](#)

messageing database heterogeneous databa


[Advanced Search](#)  
[Preferences](#)**Web**Results 11 - 20 of about 25 for **messageing database heterogeneous databases**. (0.52 seconds)**[PDF] [Grid Computing \(Gitterberechung\)](#)**File Format: PDF/Adobe Acrobat - [View as HTML](#)aggregation of services of **heterogeneous** ... the Chemical **DataBase**. (CDB) to identify those ... Notification/**Messageing**, Logging, ... ..[www.unfug.org/data/foils/2005/GridComputing.pdf](http://www.unfug.org/data/foils/2005/GridComputing.pdf) - [Similar pages](#)**[PDF] [Proceedings of the 15-17 October 1986 Joint Meeting of the ...](#)**File Format: PDF/Adobe Acrobat - [View as HTML](#)caused by a faulty **database**, one caused by a distribution of ... on for instance multimedia **messageing**, connection of different networks ...[www3.ietf.org/proceedings/prior29/IETF04.pdf](http://www3.ietf.org/proceedings/prior29/IETF04.pdf) - [Similar pages](#)**[こんな毎日・・・ Recent SourceForge News](#)**The Gift Registry website is a web-enabled **database** allowing members to keep ... useTien.pl Instant **Messageing** Network using any Jabber compatible client. ...[machine.homeunix.org/weblog/archives/sf\\_news\\_2004-11-25.html](http://machine.homeunix.org/weblog/archives/sf_news_2004-11-25.html) - [Similar pages](#)**[PDF] [as Narrative Toys Report](#)**File Format: PDF/Adobe Acrobat - [View as HTML](#)of vertical video projection on top of the sandbox, and a sound **database** from ... We discussed seven play scenarios for the CoDos, ranging from **messageing**, ...[narrativity.tii.se/narrativetoys/narrativetoys1.2.pdf](http://narrativity.tii.se/narrativetoys/narrativetoys1.2.pdf) - [Similar pages](#)**[PDF] [INFORMATIK INFORMATIQUE 2/1997](#)**File Format: PDF/Adobe Acrobat - [View as HTML](#)**Heterogeneous** Multimedia Information Systems: The Garlic. Approach. Proc. ... DRDA Distributed Relational **Database** Architecture ...[www.svifsi.ch/revue/pages/issues/n972/in972.pdf](http://www.svifsi.ch/revue/pages/issues/n972/in972.pdf) - [Similar pages](#)**[PDF] [Online Shopping System based on WAP](#)**File Format: PDF/Adobe Acrobat - [View as HTML](#)Figure 6.14 Integration test of saving customer's order in **database** . ... using Nokia Artus **Messageing** Platform. In 2003, there were 10, 000 WAP ...[www2.imm.dtu.dk/pubdb/views/edoc\\_download.php/3418/pdf/imm3418.pdf](http://www2.imm.dtu.dk/pubdb/views/edoc_download.php/3418/pdf/imm3418.pdf) - [Similar pages](#)**[PDF] [Technolgies for Personal and Peer-to-Peer Knowledge Management](#)**File Format: PDF/Adobe Acrobat - [View as HTML](#)Data, information and knowledge may come in a structured (eg **database** fields), ... Instant **Messageing** (IM), nevertheless, is becoming more and more accepted ...[www.csc.com/aboutus/lef/mds67\\_off/uploads/P2P\\_KM.pdf](http://www.csc.com/aboutus/lef/mds67_off/uploads/P2P_KM.pdf) - [Similar pages](#)**[PDF] [ARCHITECTURAL FRAMEWORK FOR BUILDING A VIRTUAL KNOWLEDGE SUPPORT ...](#)**

File Format: PDF/Adobe Acrobat

The agricultural sector is a **heterogeneous** sector, which includes all activities ... stored in a **database** for future inquiry. The respondent service and ...[libserv5.tut.ac.za:7780/pls/eres/wpg\\_docload.download\\_file?](http://libserv5.tut.ac.za:7780/pls/eres/wpg_docload.download_file?p_filename=F277292982/Wang.pdf)[p\\_filename=F277292982/Wang.pdf](http://libserv5.tut.ac.za:7780/pls/eres/wpg_docload.download_file?p_filename=F277292982/Wang.pdf) - [Similar pages](#)

Electric Dreams Subscribe: electric-dreams-subscribe@yahoogroups ...  
... goes off) is really someone sending me email or instant **messageing** me...when ... the  
listing in The eZines **Database** Collection: <http://www.infojump.com/> ...  
[www.dreamgate.com/dream/ed-backissues/ed8-9.txt](http://www.dreamgate.com/dream/ed-backissues/ed8-9.txt) - 251k - [Cached](#) - [Similar pages](#)

From ptownson@massis.lcs.mit.edu Wed Apr 24 13:17:34 1996 Return ...  
It is actually a "distributed" **database**, in that there is not a single one, ... voice mail or voice  
**messageing** services in Europe, specifically in Germany, ...  
[www.textfiles.com/digest/TELECOMDIGEST/vol16.iss0201-0250.txt](http://www.textfiles.com/digest/TELECOMDIGEST/vol16.iss0201-0250.txt) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [Next](#)

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



[Web](#) [Images](#) [Video](#) <sup>New!</sup> [News](#) [Maps](#) [more »](#)

messaging database heterogeneous databa

[Search](#)[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about 26 for **messaging database heterogeneous databases**. (0.38 seconds)Did you mean: [messaging database heterogeneous databases](#)**[DOC] Collaborative Video Annotation and Discussion using Distributed ...**File Format: Microsoft Word - [View as HTML](#)The metadata saved in the **database** includes: user info, session info, ... Currently, we use the open source MySQL **database**. RTSP Streaming Server ...[www.servogrid.org/slide/GEM/Misc/eSportPaper.doc](http://www.servogrid.org/slide/GEM/Misc/eSportPaper.doc) - [Similar pages](#)**[PPT] Kein Folientitel**File Format: Microsoft Powerpoint - [View as HTML](#)Middleware/**Database**. DBMS integrates Object-Technology; OTM integrate CORBA or DCOM; **Messageing** imbedded in OS. Object Technology is now mainstream; ...[www.old.netobjectdays.org/mirrors/stja.cd/Beitraege/Reimann.ppt](http://www.old.netobjectdays.org/mirrors/stja.cd/Beitraege/Reimann.ppt) - [Similar pages](#)**[DOC] Author Guidelines for 8**File Format: Microsoft Word - [View as HTML](#)SIP has been applied in IP telephony, Instant **Messageing** (IM) and ... Server and the Naming & Directory Server with the support of the SQL **database** storage. ...[www.globalmmcs.org/publications/sip-webservices-camera03.doc](http://www.globalmmcs.org/publications/sip-webservices-camera03.doc) - [Similar pages](#)**[DOC] "Grid Computational Methods"**File Format: Microsoft Word - [View as HTML](#)It keeps an internal **database** for the streams being converted. ... also includes the examples of Proxy-Registrar Server and Instant **Messageing** client. ...[www.globalmmcs.org/publications/gcm-draft.doc](http://www.globalmmcs.org/publications/gcm-draft.doc) - [Similar pages](#)**[PPT] Chapter 19: Distributed Databases**File Format: Microsoft Powerpoint - [View as HTML](#)A multidatabase system is a software layer on top of existing **database** systems, which is designed to manipulate information in **heterogeneous databases** ...[indra.snu.ac.kr/lectures/database/slides/p7-ch22-distributed%20database.ppt](http://indra.snu.ac.kr/lectures/database/slides/p7-ch22-distributed%20database.ppt) -Supplemental Result - [Similar pages](#)**[PPT] スライド タイトルなし**File Format: Microsoft Powerpoint - [View as HTML](#)**Messageing** between applications in different company which are connected via functions of WebServices ... "Query and update employee **database**" application ...[www.omg.org/docs/omg/02-04-03.ppt](http://www.omg.org/docs/omg/02-04-03.ppt) - [Similar pages](#)**[PDF] DOPG Overview**File Format: PDF/Adobe Acrobat - [View as HTML](#)**Messageing** between applications in different company which are. connected via functions of WebServices ... "Query and update employee **database**" application ...[www.omg.org/docs/omg/02-04-03.pdf](http://www.omg.org/docs/omg/02-04-03.pdf) - [Similar pages](#)**[PDF] Event-Driven Messaging Services Over Integrated Cellular and ...**

File Format: PDF/Adobe Acrobat

only receive our instant **messageing** services, but can not be. detected while traveling in

our ... basic events and store them into its event **database**. Time ...  
ieeexplore.ieee.org/iel5/49/30928/01435508.pdf - [Similar pages](#)

### Parallel and Distributed Processing Techniques and Applications

Performance Analysis of Message Ordering Based Global Concurrency Control for  
**Heterogeneous** Distributed **Database** Systems. by: Aekyung Moon, Hosang Ham, ...  
wotan.liu.edu/docis/dbl/pdptap/index.html - 586k - [Cached](#) - [Similar pages](#)

### XML-XSLT conversion

Eg Notification is likely to use a **messageing** service as are other ... **Database** service to  
register metadata based on a pre-defined data model. ...  
www.grids.ac.uk/Papers/Classes/classes.html - 118k - [Cached](#) - [Similar pages](#)

Did you mean to search for: **messaging** database heterogeneous databases

Google ►

Result Page: 1 2 3 [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)

Google ▾	<input type="text"/>	▼	G Search ▾	377 blocked	ABC Check ▾	AutoLink ▾	AutoFill
----------	----------------------	---	------------	-------------	-------------	------------	----------

---

<input type="text" value="messageing database heterogeneou"/>	<input type="button" value="Search"/>
---	---------------------------------------

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google